



Infrared cooker

JY-CD01



Product size: 290*420*70mm
face-plate size: 220mm
Input voltage: 220V,50-60HZ
Disply power: 3500W
Actual power: 2200W
disply: 4Digit
Setting time: 0-3Hours
Panel Type: unpolished crystal Glass
Pannel Switch: push
Length of power cord: 1.1m
Heating coil size: 200mm

JY-CD02



Product size: 290*420*70mm
face-plate size: 280*360mm
Input voltage: 220V,50-60HZ
Disply power: 2200W OR 3500W
Actual power: 2200W
disply: 4Digit
Setting time: 0-3Hours
Panel Type: unpolished crystal Glass
+tempering Glass+Steel ring
Pannel Switch: Touch
Length of power cord: 1.1m
Heating coil size: 200mm

JY-CD02B



Product size: 290*420*70mm
face-plate size: 280*360mm
Input voltage: 220V,50-60HZ
Disply power: 2200W OR 3500W
Actual power: 2200W
disply: 4Digit
Setting time: 0-3Hours
Panel Type: unpolished crystal Glass
+ tempering Glass+Steel ring
Pannel Switch: Touch
Length of power cord: 1.1m
Heating coil size: 200mm

JY-CD02G



Product size: 290*420*70mm
face-plate size: 280*360mm
Input voltage: 220V,50-60HZ
Disply power: 2200W OR 3500W
Actual power: 2200W
disply: 4Digit
Setting time: 0-3Hours
Panel Type: unpolished crystal Glass
+ tempering Glass+Steel ring
Pannel Switch: Touch
Length of power cord: 1.1m
Heating coil size: 200mm

Infrared cooker

JY-CD02W



Product size: 290*420*70mm
face-plate size: 280*360mm
Input voltago: 220V,50-60HZ
Disply power: 2200W OR 3500W
Actual power: 2200W
disply: 4Digit
Setting time: 0-3Hours
Panel Type: unpolished crystal Glass
+tempering Glass+Steel ring
Pannel Switch: Touch
Length of power cord: 1.1m
Heating coil size: 200mm

JY-CD03



Product size: 290*420*70mm
face-plate size: 280*360mm
Input voltago: 220V,50-60HZ
Disply power: 2200W OR 3500W
Actual power: 2200W
disply: 4Digit
Setting time: 0-3Hours
Panel Type: unpolished crystal Glass
+ tempering Glass+Steel ring
Pannel Switch: Touch
Length of power cord: 1.1m
Heating coil size: 200mm

JY-CD05



Product size: 290*420*70mm
face-plate size: 240*240mm
Input voltago: 220V,50-60HZ
Disply power: 2200W OR 3500W
Actual power: 2200W
disply: 4Digit
Setting time: 0-3Hours
Panel Type: unpolished crystal Glass
Pannel Switch: push
Length of power cord: 1.1m
Heating coil size: 200mm

JY-CD06



Product size: 290*420*70mm
face-plate size: 280*360mm
Input voltago: 220V,50-60HZ
Disply power: 2200W OR 3500W
Actual power: 2200W
disply: 4Digit
Setting time: 0-3Hours
Panel Type: unpolished crystal Glass
Pannel Switch: Touch
Length of power cord: 1.1m
Heating coil size: 200mm

Infrared cooker

JY-CD07



Product size: 290*420*70mm
face-plate size: 280*360mm
Input voltago: 220V,50-60HZ
Disply power: 2200W OR 3500W
Actual power: 2200W
disply: 4Digit
Setting time: 0-3Hours
Panel Type: unpolished crystal Glass
Pannel Switch: Touch
Length of power cord: 1.1m
Heating coil size: 200mm

JY-CD08



Product size: 290*420*50mm
face-plate size: 280*360mm
Input voltago: 220V,50-60HZ
Disply power: 2200W OR 3500W
Actual power: 2200W
disply: 4Digit
Setting time: 0-3Hours
Panel Type: unpolished crystal Glass
Pannel Switch: Touch
Length of power cord: 1.1m
Heating coil size: 200mm

JY-CD13



Product size: 285*350*70mm
face-plate size: 285*295mm
Input voltago: 220V,50-60HZ
Disply power: 2200W OR 3500W
Actual power: 2200W
disply: 4Digit
Setting time: 0-3Hours
Panel Type: unpolished crystal Glass
Pannel Switch: Touch
Length of power cord: 1.1m
Heating coil size: 200mm

JY-CD15



Product size: 290*420*70mm
face-plate size: 280*360mm
Input voltago: 220V,50-60HZ
Disply power: 2200W OR 3500W
Actual power: 2200W
disply: 4Digit
Setting time: 0-3Hours
Panel Type: unpolished crystal Glass+metal
Pannel Switch: Touch
Length of power cord: 1.1m
Heating coil size: 200mm

Infrared cooker

JY-CD15G



Product size: 290*420*70mm
face-plate size: 280*360mm
Input voltage: 220V,50-60HZ
Disply power: 2200W OR 3500W
Actual power: 2200W
disply: 4Digit
Setting time: 0-3Hours
Panel Type: unpolished crystal Glass+metal
Pannel Switch: Touch
Length of power cord: 1.1m
Heating coil size: 200mm

JY-CD15W



Product size: 290*420*70mm
face-plate size: 280*360mm
Input voltage: 220V,50-60HZ
Disply power: 2200W OR 3500W
Actual power: 2200W
disply: 4Digit
Setting time: 0-3Hours
Panel Type: unpolished crystal Glass+metal
Pannel Switch: Touch
Length of power cord: 1.1m
Heating coil size: 200mm

JY-CD21



Product size: 260mm
face-plate size: 240mm
Input voltage: 220V,50-60HZ
Disply power: 2200W OR 3500W
Actual power: 2200W
disply: 4Digit
Setting time: 0-3Hours
Panel Type: unpolished crystal Glass
Pannel Switch: Touch
Length of power cord: 1.1m
Heating coil size: 200mm

Infrared cooker

JY-CD09



Product size: 280*360*70mm
face-plate size: 280*360mm
Input voltage: 220V,50-60HZ
Disply power: 2200W OR 3500W
Actual power: 2200W
disply: 4Digit
Setting time: 0-3Hours
Panel Type: unpolished crystal Glass
Pannel Switch: Touch
Length of power cord: 1.1m
Heating coil size: 200mm

JY-CD011



Product size: 277*312*73.5mm
face-plate size: 237*237mm
Input voltage: 220V,50-60HZ
Disply power: 2200W OR 3500W
Actual power: 2200W
disply: 4Digit
Setting time: 0-3Hours
Panel Type: unpolished crystal Glass
Pannel Switch: Touch
Length of power cord: 1.1m
Heating coil size: 200mm

Infrared cooker

JY-CD16B




Product size: 313*385*70mm
face-plate size: 313*385mm
Input voltago: 220V,50-60HZ
Disply power: 2200W OR 3500W
Actual power: 2200W
disply: 4Digit
Setting time: 0-3Hours
Panel Type: unpolished crystal Glass
+tempering Glass+Steel ring
Pannel Switch: Touch
Length of power cord: 1.1m
Heating coil size: 200mm

JY-CD16F



Product size: 313*385*70mm
face-plate size: 313*385mm
Input voltago: 220V,50-60HZ
Disply power: 2200W OR 3500W
Actual power: 2200W
disply: 4Digit
Setting time: 0-3Hours
Panel Type: unpolished crystal Glass
+tempering Glass+Steel ring
Pannel Switch: Touch
Length of power cord: 1.1m
Heating coil size: 200mm

JY-CD16R



Product size: 313*385*70mm
face-plate size: 313*385mm
Input voltago: 220V,50-60HZ
Disply power: 2200W OR 3500W
Actual power: 2200W
disply: 4Digit
Setting time: 0-3Hours
Panel Type: unpolished crystal Glass
+tempering Glass+Steel ring
Pannel Switch: Touch
Length of power cord: 1.1m
Heating coil size: 200mm

Infrared cooker

JY-CD17



Product size: 620*390*76mm
face-plate size: 590*390*76mm
Input voltago: 220V,50-60HZ
Disply power: 3500W+3500w
Actual power: 2200W+2200W
disply: 4Digit
Setting time: 0-3Hours
Panel Type: crystal Glass+tempering
Glass+Steel ring
Pannel Switch: Touch
Length of power cord: 1.1m
Heating coil size: 200mm

JY-CD18B



Product size: 700*400*76mm
face-plate size: 670*400*76mm
Input voltago: 220V,50-60HZ
Disply power: 2200W +2200W
Actual power: 2200W+2200W
disply: 4Digit
Setting time: 0-3Hours
Panel Type: crystal Glass+tempering
Glass+Steel ring
Pannel Switch: Touch
Length of power cord: 1.1m
Heating coil size: 200mm

JY-CD18W



Product size: 700*400*76mm
face-plate size: 670*400*76mm
Input voltago: 220V,50-60HZ
Disply power: 2200W +2200W
Actual power: 2200W+2200W
disply: 4Digit
Setting time: 0-3Hours
Panel Type: crystal Glass+tempering
Glass+Steel ring
Pannel Switch: Touch
Length of power cord: 1.1m
Heating coil size: 200mm

Infrared cooker

JY-CD19



Product size: 520*590*76mm
Input voltage: 220V,50-60HZ
Disply power: 2200W +2200W+2200W
Actual power: 2200W +2200W+2200W
disply: 4Digit
Setting time: 0-3Hours
Panel Type: unpolished crystal Glass
+ tempering Glass+Steel ring
Pannel Switch: Touch
Length of power cord: 1.1m
Heating coil size: 200mm

JY-CD20



Product size: 520*590*76mm
Input voltage: 220V,50-60HZ
Disply power: 2200W +2200W+2200W+2200W
Actual power: 2200W +2200W+2200W+2200W
disply: 4Digit
Setting time: 0-3Hours
Panel Type: unpolished crystal Glass
+ tempering Glass+Steel ring
Pannel Switch: Touch
Length of power cord: 1.1m
Heating coil size: 200mm



Induction cooker

JY-ID05



220-240V~ 50/60Hz
Actual power:1 500W
Display power:2000W
Induction cooker
Materials:crystal plate+
Plastic bottom shell
Stainless steel pot,iron pan etc
Touch control
Panel size:250*250mm
Loading quantity:
20GP:2340pcs, 40GP:4872PCS,
40HQ:5700PCS
6PCS/Ctn,N.W.:1.61kg,G.W.:1.88kg
Color box size:310*90*390mm
Carton size:580*325*410mm

JY-ID06



220-240V~ 50/60Hz
Actual power:1 500W
Display power:2000W
Induction cooker
Materials:crystal plate+
Plastic bottom shell
Stainless steel pot,iron pan etc
Touch control
Panel size:280*350mm
Loading quantity:
20GP:2142pcs, 40GP:4470PCS,
40HQ:5250PCS
6PCS/Ctn,N.W.:1.85kg,G.W.:2.1kg
Color box size:310*90*390mm
Carton size:580*325*410mm

JY-ID07



220-240V~ 50/60Hz
Display power:2000W
Actual power:1500W
Induction cooker
Materials:crystal plate+
Plastic bottom shell
Stainless steel pot,iron pan etc
Touch control
Panel size:280*360mm
Loading quantity:
20GP:1716pcs, 40GP:3552PCS,
40HQ:4164PCS
6PCS/Ctn,N.W.:1.58kg,G.W.:1.85kg
Color box size:335*105*410mm
Carton size:590*365*455mm

JY-ID40



220-240V~ 50/60Hz
Actual power:1500W
Display power:2000W
Induction cooker
Materials:crystal plate+
Plastic bottom shell
Stainless steel pot,iron pan etc
Touch control
Panel size:280*350mm
Loading quantity:
20GP:2142pcs, 40GP:4470PCS,
40HQ:5250PCS
6PCS/Ctn,N.W.:1.85kg,G.W.:2.1kg
Color box size:310*90*390mm
Carton size:580*325*410mm

Induction cooker

JY-ID22



220-240V~ 50/60Hz
Display power:2000W
Actual power:1 500W
Induction cooker
Materials:crystal plate+
Plastic bottom shell
Stainless steel pot,iron pan etc
Touch control
Black crystal plate size:248φ
Loading quantity:
20GP:2094pcs, 40GP:4362PCS,
40HQ:5118PCS
6PCS/Ctn,N.W.:1.58kg,G.W.:1.85kg
Color box size:310*90*400mm
Carton size:580*325*420mm

JY-ID28



220-240V~ 50/60Hz
Display power:2000W
Actual power:1500W
Induction cooker
Materials:crystal plate+
Plastic bottom shell
Stainless steel pot,iron pan etc
Touch control
Black crystal plate size:270*270mm
Loading quantity:
20GP:2142pcs, 40GP:4770PCS,
40HQ:5250PCS
6PCS/Ctn,N.W.:1.76kg,G.W.:2.0kg
Color box size:310*90*390mm
Carton size:580*325*410mm

Induction cooker

JY-ID08



220-240V~ 50/60Hz
Double induction hob
Left:2000W Right:2000W
Materials:crystal plate+
Plastic bottom shell
Stainless steel pot,iron pan etc
Touch control
Panel size:280*280mm
Loading quantity:
20GP: 1040pcs, 40GP:2184PCS,
40HQ:2564PCS
4PCS/Ctn,N.W.3.8kg,G.W..4.4kg
Color box size:640*90*400mm
Carton size:650*385*420mm

JY-ID18




220-240V~ 50/60Hz
Total power:Lock:3500W
Double induction hob
Left:2000W Right:2000W
materials:Micro crystal plate+
Stainless steel bottom shell
Stainless steel pot,iron pan etc
Touch control
Panel size: 730*430*65mm
Built-in size:680*390mm
Loading quantity:
20GP:1196pcs,40GP:2479PCS,
40HQ:2906PCS
1PCS/Ctn,N.W.:4.8kg,G.W.:6kg
Carton size:615*275*415mm
Color box size:595*85*395mm

JY-ID17



220-240V~ 50/60Hz
Total power:Lock:3500W
Double induction hob
Left:2000W Right:2000W
materials:Micro crystal plate+
Stainless steel bottom shell
Stainless steel pot,iron pan etc
Touch control
Panel size: 560*350mm
Loading quantity:
20GP:1196pcs,40GP:2479PCS,
40HQ:2906PCS
1PCS/Ctn,N.W.:4.8kg,G.W.:6kg
Carton size:615*275*415mm
Color box size:595*85*395mm

JY-ID44



220-240V~ 50/60Hz
Total power:Lock:3500W
Double induction hob
Left:2000W Right:2000W
Materials:crystal plate+
stainless steel bottom shell
Stainless steel pot,iron pan etc
Touch control
Panel size:730* 430*65mm
Built-in size:680*390mm
Loading quantity:
20GP:457 pcs 40GP:947PCS,
40HQ:1110PCS
1PCS/Ctn,N.W.:7.9kg,G.W.:9.7kg
Carton size:810*540*140mm

Induction cooker

JY-ID45



220-240V~ 50/60Hz
Total power:Lock:3500W
Double induction hob
L eft:2000W Right:2000W
Materials:crystal plate+
stainless steel bottom shell
Stainless steel pot,iron pan etc
Touch control
Panel size:730*430*65mm
Built-in size:680*390mm
Loading quantity,
20GP:457 pcs, 40GP:947PCS,
40HQ:1110PCS
1PCS/Ctn,N.W.:7.9kg,G.W.:9.7kg
Carton size:810*540* 140mm